

MSD Platinum (Touring/Stage)



MSD Platinum 5 R 1CT

The MSD Platinum lamps open up new levels of creative freedom in entertainment lighting, with powerful, compact and brilliantly intense light. Their compact, lightweight design provides the freedom to create smaller, lighter luminaires – for use at any location on stage. And their short arc, high color temperature and innovative reflector produce a sparkling, high beam intensity for outstanding color reproduction. They also offer long and reliable lifetime, high efficacy and fast replacement times. It all adds up to an intensely exciting creative experience.

Product data

• General Characteristics

System Description	Reflector-E20.6
Cap-Base	-
Cap-Base Information	-
Operating Position	any
Main Application	Stage/Touring
Life to 50% failures	3000 hr
EM	

• Light Technical Characteristics

Color Code	2
Color Temperature	8000 K
Chromaticity Coordinate X	300 -
Chromaticity Coordinate Y	300 -
Luminous Flux Lamp EM	7100 (min), 7950 (nom) Lm

• Electrical Characteristics

Lamp Wattage	160 W
Lamp Wattage Technical	189 W
Dimmable	Yes

• Luminaire Design Requirements

Pinch Temperature	350 (max) C
-------------------	-------------

• Product Dimensions



Overall Length C	57.1 (max) mm
Diameter D	51.4 (max) mm
Arc Length O	1.0 mm
Height Exhaust Tip T	6.8 (max) mm

• Product Data

Order code	928190805314
Full product code	928190805314
Full product name	MSD Platinum 5 R 1CT
Order product name	MSD Platinum 5 R 1CT/8
Pieces per pack	1
Packing configuration	8
Packs per outerbox	8
Bar code on pack - EAN1	8727900930702
Bar code on outerbox - EAN3	8727900930719
Logistic code(s) - 12NC	928190805314
Net weight per piece	0.120 kg

PHILIPS

Photometric data



© 2015 Koninklijke Philips N.V. (Royal Philips)
All rights reserved.

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips N.V. (Royal Philips) or their respective owners.

www.philips.com/lighting

2015, January 27
data subject to change